

PRECAST CONCRETE BELOW GROUND (BG)

STORM SHELTER-SQUARE

LOCALLY MANUFACTURED, PRECAST CONCRETE SHELTER WITH WALK-IN DOOR,
BOTH CERTIFIED TO MEET NSSA STANDARD

STANDARD SQUARE SIZES ARE SHOWN IN THE CHART BELOW
(OTHER SIZES ARE AVAILABLE IN EVEN FOOT INCREMENTS BY SPECIAL ORDER ONLY)

VCP ITEM #	INSIDE LENGTH	INSIDE WIDTH	OUTSIDE LENGTH	OUTSIDE WIDTH	INSIDE HEIGHT	NUMBER OF 6" VENTS	SIZE OF EXCAVATION
	A	B	C	D			
#SS-606070-BGD	6'-0"	6'-0"	7'-0"	7'-0"	7'-0"	2	10'Wx10'Lx7'D**
#SS-808070-BGD	8'-0"	8'-0"	9'-0"	9'-0"	7'-0"	3	12'Wx12'Lx7'D**
#SS-10010070-BGD	10'-0"	10'-0"	11'-0"	11'-0"	7'-0"	4	14'Wx14'Lx7'D**

DEPTH OF EXCAVATION TO ALLOW FOR A MINIMUM OF 6" OF AGGREGATE TO FACILITATE DRAINAGE BELOW THE SHELTER**


6" CONDUIT DUCT TERMINATORS FOR VENT OPENINGS 9" OFF TOP OF VAULT TO CENTER & 15" OFF EACH OUTSIDE WALL TO CENTER;
QUANTITY DEPENDENT UPON SIZE OF SHELTER (SEE CHART ABOVE)
EACH VENT PROVIDED WITH STEEL DEFLECTOR PLATE (NOT SHOWN)

STORM SHELTER ALSO PROVIDED WITH:
STEEL DOOR CERTIFIED TO MEET NSSA STANDARD
STAIRWAY EXTENSION
STAIRWAY ENTRY
(NONE OF WHICH ARE SHOWN HERE)

STANDARD INSTALLATION PROVIDES UNIT TO PROTRUDE ABOVE GROUND LEVEL APPX. 18"

4 LIFTING INSERTS CAST IN EACH SECTION, PURCHASER'S EXCAVATION TO ALLOW A MINIMUM OF 18" CLEARANCE AROUND THE ENTIRE PERIMETER OF SHELTER FOR REMOVAL OF LIFTING BOLTS

CUT-AWAY TO SHOW SUMP



NOTES:

- CONCRETE: 5000 P.S.I. MINIMUM
- REINFORCING: GRADE 60 MINIMUM
- *TOP SECTIONS: #4@12" O.C.E.W. (OR EQUIVALENT STRUCTURAL MESH)
- *BOTTOM SECTIONS: #5@12" O.C.E.W. (OR EQUIVALENT STRUCTURAL MESH)
- ALL REINFORCING CENTERED IN THE FLOOR, WALLS & ROOF THICKNESS

*ACTUAL DIMENSIONS OF CONCRETE PRODUCTS MAY VARY SLIGHTLY
*PRODUCT & DRAWING SUBJECT TO CHANGE WITHOUT NOTICE

ALL BELOW GROUND (BG) STORM SHELTERS ARE PROVIDED WITH 12" DIAMETER HDPE SUMP PAN WITH DRAIN HOLE; 6" MINIMUM AGGREGATE BASIN TO FACILITATE DRAINAGE TO BE PLACED BELOW EACH SHELTER'S SUMP LOCATION PRIOR TO SETTING IT INTO THE READY EXCAVATION

vaughn
concrete products, inc.

DRAWING NOT TO SCALE

SS-SQUARE-BGD.DWG
DATE CREATED: 4/07
UPDATED: 5/07

12650 Tucson Street • Henderson, Colorado 80640 • 303-659-3747, Fax 303-659-1333
2671 South Greeley Hwy • Cheyenne, Wyoming 82007 • 307-634-0695, Fax 307-634-0694
10021 Amarillo Blvd East • Amarillo, Texas 79108 • 806-374-3747, Fax 806-335-3717