

BLACKHAWK

Asphalt Primer

Material Safety Data Sheet

Emergency Phone #: 800.456.8556

PRODUCT:

Blackhawk Liquid Asphalt Coating

MANUFACTURER:

Blackhawk Products
450 Funston
Kansas City, Kansas 66115
913.371.8555

SECTION 2 – HAZARDOUS INGREDIENTS

Hazardous Components

	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>Other Limits</u>
Mineral Spirits	100ppm	100ppm	N/A
Asphalt	100ppm	10ppm	N/A

HMIS Rating

Health: 1

Fire: 2

Reactivity: 0

SECTION 3 – PHYSICAL CHARACTERISTICS

Boiling Point: 315°F

Vapor Pressure: 4.6mmHg

Vapor Density: 4.8 (Air=1)

Specific Gravity: 0.92 (H2O=1)

Melting Point: N/A

Evaporation Rate: N/D

Solubility in Water: Insoluble

Appearance/Odor: Black / Mild, non-residual

N/A: not applicable; N/D: not determined

SECTION 4 – FIRE & EXPLOSION DATA

Flash Point: >105°F (CC)

Flammable Limits: LEL – 0.7%

UEL – 6.0%

Extinguishing Media: Chemical Foam / CO2 / Dry Chemical

Special Fire Fighting Procedures: Self-contained breathing apparatus may be necessary.

COMBUSTIBLE: Keep away from high heat and open flame.

Unusual Fire and Explosion Hazards: N/A

SECTION 5 – REACTIVITY DATA

Stability: Stable

Conditions and Materials to Avoid: Keep away from open flame or high heat

Incompatibility: Isolate from strong oxidizers

Hazardous Decomposition Products: Carbon dioxide and carbon monoxide when burned. Hazardous polymerization will not occur.

SECTION 6 - HEALTH HAZARD DATA

Route(s) of entry:

Inhalation: Yes

Skin: Yes

Ingestion: Yes

Prolonged exposure may cause irritation to respiratory tract, eyes, and skin

Harmful or fatal if swallowed.

Carcinogenicity: NTP: No

IARC: No

OSHA Regulated: No

Signs and symptoms of overexposure: Dizziness, headache, nose and throat irritation

Medical conditions aggravated by exposure: Existing eye, skin, and respiratory disorders

Emergency and first aid procedures:

Skin: Wash with soap and water.

Ingestion: Do not induce vomiting, seek medical attention.

Inhalation: Remove to fresh air.

SECTION 7 – SPECIAL PRECAUTIONS & SPILL/LEAK PROCEDURES

PRECAUTIONS IN HANDLING AND STORING: Do not store near heat or flame. Use protective gloves when handling material. Use with adequate ventilation.

IN CASE OF SPILL: Isolate from open flame and strong oxidizers.

WASTE DISPOSAL: Discard according to Federal, State and Local regulations.

SECTION 8 – SPECIAL PROTECTION / CONTROL MEASURES

RESPIRATORY: Not normally required

EYE PROTECTION: Use goggles or safety glasses

HAND PROTECTION: Use protective gloves

OTHER PROTECTION: None required

VENTILATION: Ventilate as needed for exposure limits

WORK / HYGIENIC PRACTICES: Standard hygienic practices

OTHER PRECAUTIONS: Avoid prolonged contact. For industrial use only.
Keep out of reach of children.

SECTION 9 — REGULATORY INFORMATION

TSCA (Toxic Substances Control Act) Status: Components of this product are listed on the TSCA Inventory.

Manufacturer Disclaimer: The data given here is based on current knowledge and experience. The purpose of this MSDS is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customer and the protection of the environment.